






















# Products tested according **SD-STD-01.01 Rev. G**








## Certified Windows: 5 min. Forced Entry, 15 min. Forced Entry/Bullet Resistant

Position	Sketch	Product Description	DOS Model Number	DOS Code
1		Vision window	GWV-05N-S4T-02	1141
2		New Window Design (NWD)	larger sizes:	
3		Pre-glazed, large-size up to 2.20 x 2.915 m	GWV-05N-S4T-04 GWV-05N-S4T-05	1141 1141
4		Mullion, vision window to vision window	GWV-05N-S4T-03	1141
5		Window, transaction with fixed deal tray or movable deal drawers New Window Design (NWD) Pre-glazed	GWT-05N-S4T-01A	1141
6		Vision window	GWV-15R-S4T-01	1123
7		Vision window	GWV-15R-S4T-04	1123
8		New Window Design (NWD) Pre-glazed, large-size up to 2.20 x 2.915 m	GWV-15R-S4T-04A	1123
9		Mullion, vision window to vision window, or combination with deal trays and deal drawers	GWV-15R-S4T-03	1123
10		Window, transaction with movable deal drawer	GWT-15R-S4T-01	1123
11		Window, transaction with fixed deal tray	GWT-15R-S4T-02	1123
12		Window, transaction with fixed deal tray or movable deal drawers New Window Design (NWD) Pre-glazed, large-size up to 2.20 x 2.915 m	GWT-15R-S4T-04A	1123
13		Window, transaction with fixed deal tray or movable deal drawers Thermal insulated	GWT-15R-S4T-05	1123




## Certified Doors: 5 min. Forced Entry


Position	Sketch	Product Description	DOS Model Number	DOS Code
14		Door, opaque with insulation	GDO-05N-S4T-01	2141
15		Alternativ wall-connection Type 3	GDO-05N-S4T-01(n)	2141
16		Door, opaque with 2 panels and insulation	GDO-05N-S4T-02	2141
17		Door, opaque without insulation	GDO-05N-S4T-01A	2141
18		Door, transparent half vision and one lower panel with insulation	GDT-05N-S4T-01	1141
19		Alternativ wall-connection Type 3	GDT-05N-S4T-01(n)	1141
20		Door, transparent half vision with insulation	GDT-05N-S4T-02	1141
21		Door, transparent dual vision with insulation	GDT-05N-S4T-03	1141
22		Door, transparent half vision with one lower opaque panel toplight with insulation	GDT-05N-S4T-04	1141
23		Door, transparent half vision without insulation	GDT-05N-S4T-01A	1141
24		Door, transparent dual vision without insulation	GDT-05N-S4T-03A	1141









 = Glass


Position	Sketch	Product Description	DOS Model Number	DOS Code
25		Door, larger transparent half vision without insulation	GDT-05N-S4T-01B	1141
26		Door, transparent dual visions without insulation	GDT-05N-S4T-03B	1141
27		Door, transparent half vision fixed deal tray with insulation	GDX-05N-S4T-01	1141
28		Door, transparent half vision fixed deal tray without insulation	GDX-05N-S4T-01A	1141



### Certified Doors: 15 min. Forced Entry/Bullet Resistant

29		Door, opaque with insulation	GDO-15R-S4T-01	2123
30		Alternativ wall-connection Type 3	GDO-15R-S4T-01(n)	2123
31		Door, opaque two panels with insulation	GDO-15R-S4T-02	2123
32		Door, opaque without insulation	GDO-15R-S4T-01A	2123









 = Glass


Position	Sketch	Product Description	DOS Model Number	DOS Code
33		Door, transparent half vision one lower panel with insulation	GDT-15R-S4T-01	1123
34		Alternativ wall-connection Type 3	GDT-15R-S4T-01(n)	1123
35		Door, transparent half vision with insulation	GDT-15R-S4T-02	1123
36		Door, transparent dual vision with insulation	GDT-15R-S4T-03	1123
37		Door, transparent half vision without insulation	GDT-15R-S4T-01A	1123
38		Door, transparent double vision with insulation	GDT-15R-S4T-03A	1123
39		Door, larger transparent half vision without insulation	GDT-15R-S4T-04A	1123
40		Door, larger transparent double vision without insulation	GDT-15R-S4T-05A	1123
41		Door, larger transparent half vision without insulation	GDT-15R-S4T-06A	1123







 = Glass

Position	Sketch	Product Description	DOS Model Number	DOS Code
42		Door, transparent half vision fixed deal tray without insulation	GDX-15R-S4T-01	1123
43		Door, transparent half vision fixed deal tray with insulation	GDX-15R-S4T-02	1123


### Certified Double Doors: 15 min. Forced Entry/Bullet Resistant

44		Door, double vision in the active leaf without insulation	GDD-15R-S4T-01	1123
45		Alternativ wall-connection Type 3	GDD-15R-S4T-01(n)	1123
46		Door, double dual vision in the active and in the inactive leaf without insulation	GDD-15R-S4T-01A	1123
47		Door, double opaque without insulation	GDD-15R-S4T-01B	2123
48		Alternativ wall-connection Type 3	GDD-15R-S4T-01(n)	2123
49		Door, double transparent dual vision in the active and inactive leaf without insulation	GDD-15R-S4T-01C	1123
50		Door, double transparent dual vision in the active and inactive leaf deal tray in the inactive leaf	GDD-15R-S4T-01D	1123
51		Door, double transparent dual vision (above) and dual panels in the active and inactive leaf without insulation	GDD-15R-S4T-01E	1123


 = Glass


Position	Sketch	Product Description	DOS Model Number	DOS Code
52		Door, double transparent vision in the inactive leaf without insulation	GDD-15R-S4T-01F	1123
53		Door, double transparent vision and deal tray in the inactive leaf without insulation	GDD-15R-S4T-01G	1123
54		Door, double transparent dual vision in the active leaf without insulation	GDD-15R-S4T-01H	1123
55		Door, double vision (above) and panel (bottom) in the active leaf without insulation	GDD-15R-S4T-01I	1123
56		Door, double transparent dual vision in the inactive leaf without insulation	GDD-15R-S4T-01J	1123
57		Door, double transparent vision (above) and panel in the inactive leaf without insulation	GDD-15R-S4T-01K	1123



### Certified Doors: 60 min. Forced Entry, 60 min. Forced Entry/Bullet Resistant

58		Door, opaque	GDO-60R-S4T-01	2133
59		without insulation	GDO-60R-S4T-01(n)	2133
60		Alternativ wall-connection Type 3	GDO-60R-S4T-01(q)	2133
		Alternativ wall-connection Type 4 /		




Wall-connection Type 4 is valid for all door types from 5 to 60 min.!

61		Door, transparent vision without insulation	GDT-60R-S4T-01	1133
----	---	---	----------------	------

 = Glass

Position	Sketch	Product Description	DOS Model Number	DOS Code
62		Door, double opaque without insulation	GDD-60R-S4T-02	2133
63		Alternativ wall-connection Type 3	GDD-60R-S4T-01(n)	2133
64		Door, double transparent vision in the inactive leaf without insulation	GDD-60R-S4T-01	1133
65		Alternativ wall-connection Type 3	GDD-60R-S4T-01(n)	1133

### Other Certified Products

66		Louver	GPL-05N-S4T-01	2141
67			GPL-60R-S4T-01	2133
68		Sliding door with glazing	GDX-15R-S4T-03	1123
69		Modular guard house	GSP-05N-S4T-01	1141 (5 min)
70			GSP-15R-S4T-01	1123 (15 min)

For additional information about our products  
and services please e-mail us at:  
[info@saelzer-security.com](mailto:info@saelzer-security.com)  
or call us at:  
+49 (0) 6421 / 938 - 100

SÄLZER GmbH  
Dietrich-Bonhoeffer-Str. 1-3  
35037 Marburg / Germany  
Tel.: + 49 (0) 6421 / 938 - 100  
Fax: + 49 (0) 6421 / 938 - 190  
[www.saelzer-security.com](http://www.saelzer-security.com)